

USACE ENTRY PERMIT

For use of this form, see EM 385-1-1; the proponent agency is CESO-ZA

LOCATION OF SPACE

DESCRIPTION OF SPACE

EMPLOYEE AUTHORIZING ENTRY

DATE (YYYYMMDD)

PURPOSE OF AUTHORIZATION

ENTRY AUTHORIZED (0001-2400 hours) FROM _____ TO _____

DATE (YYYYMMDD)

AUTHORIZED ENTRANTS

AUTHORIZED ATTENDANT(S)

SPACE HAZARDS AND CONTROLS

ASPHYXIATING OXYGEN DEFICIENCY CHEMICAL ENGULFMENT

FLAMMABLE/EXPLOSIVE DUST CHEMICAL (Specify) _____

TOXIC: CHEMICAL (Specify) _____

UNAUTHORIZED ACTIVATION MECHANICAL ELECTRICAL

THE CONFINED SPACE SHALL BE ISOLATED OR POTENTIAL HAZARDS CONTROLLED BY:

DEPRESSURIZATION PURGING AND CLEANING PIPING VENTILATION

LOCKOUT/TAGOUT BLANKING/CAPPING PIPING OTHER (Specify) _____

RESCUE SERVICES/EQUIPMENT ARE AVAILABLE ON-SITE OUTSIDE

COMMUNICATION EQUIPMENT PROCEDURES TO BE USED

THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT HAVE BEEN ASSIGNED TO, AND SHALL BE WORN BY ENTRANTS

HOT WORK MAY SHALL NOT BE CONDUCTED IN THIS SPACE. IF HOT WORK IS PERMITTED, THE FOLLOWING CONTROLS SHALL BE UTILIZED

TESTING AND MONITORING

THE SPACE HAS AN OXYGEN CONTENT OF _____ AND IS SAFE UNSAFE

THE SPACE HAS BEEN MONITORED AND CONTAINS THE FOLLOWING CONCENTRATIONS OF TOXIC HAZARDS

CARBON MONOXIDE HYDROGEN SULFIDE OTHER (Specify) _____

THE SPACE HAS BEEN TESTED AND CONTAINS THE FOLLOWING PERCENTAGES OF LOWER FLAMMABLE LIMIT OF FLAMMABLE/EXPLOSIVE CHEMICALS (Specify)

TESTING AND MONITORING (Continued)

MONITORING WILL BE CONDUCTED: CONTINUOUSLY OR AT _____ INTERVALS.

ADDITIONAL COMMENTS, PRECAUTIONS OR REMARKS NOT ADDRESSED ELSEWHERE

AUTHORIZATION: ALL ACTIONS AND CONDITIONS NECESSARY FOR SAFE ENTRY TO, WORK IN, AND EXIT FROM THE CONFINED SPACE HAVE BEEN PERFORMED. ENTRY IS PERMITTED ON THE DATE AND TIME, AND FOR DURATION, SPECIFIED ABOVE.

TIME (0001-2400 hours)

DATE (YYYYMMDD)

SIGNATURE OF INDIVIDUAL AUTHORIZING ENTRY

CANCELLATION: ALL ENTRANTS HAVE EXITED THE CONFINED SPACE AND THIS PERMIT IS CANCELLED.

TIME (0001-2400 hours)

DATE (YYYYMMDD)

SIGNATURE OF INDIVIDUAL AUTHORIZING ENTRY CANCELLATION