GTA 43-01-018

M88A1/A2 HOT WEATHER/DESERT OPERATION

This abbreviated checklist is not to be used as a replacement for the -10 series Tech Manuals or any other PMCS guide

FM 90-3, DESERT OPERATIONS contains detailed instructions for living and working in the desert.

TM 9-2350-256-10 (M88A1) and TM 9-2350-292-10 (M88A2) contain detailed PMCS instructions for proper maintenance and operation.

NOTE: A very high standard of maintenance is essential to long term operation under conditions of extreme heat. High temperature can cause early failure of systems. Constant checking is necessary to prevent failures.

- 1. Perform regular PMCS to ensure maximum operating perfomance
- 2. Check for any fluid leakage
- 3. Check all fluid/lubricant levels to prevent excessive heating
- 4. Ensure track tension is correct to reduce operating resistance
- Ensure engine air filters are clean and no air restrictions are present, and check gauge indicator is within operating limits
- Ensure all air intake grilles/ vents are free from any air restrictions
- 7. Check batteries for proper electrolyte/ water level
- 8. Ensure engine/ transmission oil coolers are clean and unobstructed

Approved for public release; distribution is unlimited.
Distribution: U.S. Army Training Support Center.
May 2005

M88A1/A2

- 9. Ensure radiator core is clean and unobstructed
- If possible, use a nylon stocking over any air intake vento reduce sand ingestion
- 11. Ensure APU louvers are free of any blockage
- 12. Ensure engine grille doors are free of obstruction and blockage
- 13. During normal vehicle operation, set vent blower to "on," and set main engine air intake lever to "inside" to increase interior airflow

Approved for public release; distribution is unlimited.
Distribution: U.S. Army Training Support Center.
May 2005